

2h November 1953

25X1

25X1

25X1 25X1

25X1

25X1

MEMORANDUM FOR	R THE RECORD
SUBJECT:	Project Monitor on P-101; Communication System, Infra Red (RD-54, T.O. #1) on 13 November 1953
1. Atte	ndance:
2. Disc	ussion of Progress on P-101
a. the most	The major problems at this time are the selection of suitable power supply and light source.
Power Su	pply
power de motor-ge	eview of various power sources revealed that the maximum livered from a unit of minimum weight is a gasoline nerator source. Any such power source for the proposed I-R communication system should have the following ristics:
	 (1) Power: 10-70 watts (continuous duty) (2) Operating Speed: 20,000 RPM (3) Life of engine: 100 hours continuous duty
motor-ge ectly ef APD repr answer t visit to UGP-12 m of CIA.	answer to the question of ultimate ownership of the nerator rights and manufacturing privileges will direct the cost of the unit when delivered to CIA. The esentatives advised that an to this question will be sought prior to Washington on 20 November, provided the cotor is not being manufactured for another division. If the to investigate the possibilities of using this motor

effect only if ownership and manufacturing rights reverb to

DOGUMENT NO. 2 the manufacturer. CLASS, CHANGED TO: TS S CONFIDENTIAL b. Flexibility
NEXT REVIEW DATE: AUTH: HR 70-2 DATE: PREVIEWER: 010956

SECUTION TO A DAINER

b. Flexibility

It was tentatively agreed that each unit would be an independent one having its own source of power. Such a "balanced" system would not depend on "beamed-in" energy from another I-R source.

c. Light Source

There are two choices for a light source, a tungsten filament and a cesium arc. Of these two, cesium is preferable due to the ease with which it may be current modulated. There is, however, the problem that cesium arcs which are small enough and which have low enough power requirements for our application are not commercially available. If _____ can find or develop such an arc, then the cesium arc will be used. If not, then a tungsten filament will be used, together with optical modulation.

d. Progress to Date

There are a maximum of three persons working on this project at this time and their progress has been relatively insignificant. To date, has spent \$7,500.00 in 3½ months. The initial phases of developmental projects often produce a small degree of tangible information during their early stages; this may be the case with progress on RD-54, T.O. #1. No data or equipment is ready for exhibition or demonstration to the APD representatives at this time.

e. Progress Reports

has submitted no progress reports on P-101.

Monthly reports will be forthcoming commencing December 1953. Graphs, engineering drawings, photographs and performance figures will accompany the reports.

3. Recommendations:

- a. The selection of a power generator must be made before any exact limits can be imposed on the I-R communications system.

 The alternatives are (1) use the miniature motor-generator, 25X1 and (2) design and have built a new smaller motor-generator.
- b. If we are to design and build a new motor-generator, the problem of rights and manufacturing privileges must be clarified.

c. It must

25X1

25X1

25X1

25X1

- 2 -

Declassified in Part - Sanitized Copy Approved for Release 2011/12/28: CIA-RDP78-03300A001600020117-2

The contract of the contract o

c. It must be decided whether a balanced or unbalanced system is desirable.

d. It must be decided for what ranges and periods of operation the system is needed.

NOTE: The decisions mentioned in c. and d. above should be made with the cooperation of the Area Divisions who have placed the requirement for this Infra-Red communications system.

TSS/APD	•

25X1

HB:hvm